

22 October 2024

**Health New Zealand | Te Whatu Ora and APEX
Clinical Physiology Collective Agreement**

Errata

Errata to the Collective Agreement

It is hereby denoted and agreed to correct an error common to both parties within the Clinical Physiology Collective Agreement (CA) 16 Sep 2024 - 31 May 2026, as reflected below:

Error:

It is noted that the salaries as represented in the tables below, are incorrect:

5.3 Clinical Physiology Technician:

Step	1-Jun-23	3-Jun-24	2-Jun-25
3	\$72,373	\$76,373	\$78,664

5.4 Electrocardiograph (ECG) Technicians:

Step	1-Jun-23	3-Jun-24	2-Jun-25
5	\$72,373	\$76,373	\$78,664

Correction:

It is agreed that the correct salaries for these roles and steps are as per the tables below:

5.3 Clinical Physiology Technician:

Step	1-Jun-23	3-Jun-24	2-Jun-25
3	\$72,737	\$76,737	\$79,039

5.4 Electrocardiograph (ECG) Technicians:

Step	1-Jun-23	3-Jun-24	2-Jun-25
5	\$72,737	\$76,737	\$79,039




It is therefore agreed that:

- The salaries reflected under the correction, are the correct salaries that apply to Step 3 of the Clinical Physiology Technician and Step 5 of the Electrocardiograph (ECG) Technicians scales at pars. 5.3 and 5.4 of the CA respectively
- These salaries will replace the erroneous salaries currently reflected within the CA
- Health NZ will ensure that the correction of this erratum is disseminated and implemented by all affected Districts accordingly

Signed:



Fepulea'i Margie Apa
Chief Executive Officer
Health New Zealand | Te Whatu Ora
Date: 31/10/2024



Dr Deborah Powell
National Secretary
APEX
Date: